



**WACKER
NEUSON**
all it takes!

PG3A

5000009055

[Home](#) >> [Catalog](#) >> [Products](#) >> [Pumps](#) >> [Clear Water Pumps](#) >> [Dewatering Pumps](#) >> **PG3A**



PG3A

Material number 5000009055

This simple, easy to use pump is designed to move water up to 264 gpm with very little solids, up to 0,3 in.

Product details

Highlights

- Pump out vanes on back of impeller.
- Cast iron impeller and volute for long life and minimal service
- Carbon ceramic mechanical seal

Comes with

- Centrifugal Dewatering Pump
- Strainer
- T-bolt clamp
- BSP nipple fittings
- Operator's manual

Technical specifications

PG3A

OPERATING FLUIDS

Metric

Tank capacity	3,60 l
---------------	--------

ENGINE

Metric

Power rating max.	3,6 kW
-------------------	--------

fuel type	Gasoline
-----------	----------

Cooling	air cooling
---------	-------------

Operating Engine speed	3.600 1/min
------------------------	-------------

Fuel consumption	1,80 l/h
------------------	----------

Engine speed (Power max.)	3.600 1/min
---------------------------	-------------

Engine type	Gasoline engine
-------------	-----------------

Cylinder	1
----------	---

Engine Manufacturer	Honda
---------------------	-------

Running time at 100%	2,1 std
----------------------	---------

Cylinder capacity	163 cm³
-------------------	---------

Oil filling max.	0,60 l
------------------	--------

Fuel consumption at full power	1,8 l/h
--------------------------------	---------

MECHANICAL - OUTPUT DETAILS

Metric

Flow rate max.	1.000 l/min
----------------	-------------

Suction head max.	7,5 m
-------------------	-------

Solid diameter max.	6,5 mm
---------------------	--------

Delivery height max.	27,0 m
----------------------	--------

MECHANICAL DETAILS

Metric

Operating weight	29,0 kg
------------------	---------

Length	515 mm
--------	--------

Intake-/Pressure socket-dia.	75 mm
Height	460 mm
Width	405 mm

Please Note

This product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the started power may vary due to specific operating conditions. Subject to alterations and errors expected. Applicable also to illustrations.

Copyright © 2024 Wacker Neuson SE